

تاریخ: ۱۴۰۱/۰۵/۱۹

لیست قیمت آیفون تصویری هوشمند phonicall

ردیف	نام محصول	تصویر	مدل	امکانات	مشخصات فنی	سیستم عامل	قیمت-دلار
PH-12	Digital Villa Door Phone		TC-3000DA-X2	- Call Resident - Card Unlocking - Leave Message - High strength Aluminum panel	Installation: Surface Mounting Camera: Color CMOS 1.0Mega Pixel CPU: ARM 9 Camera: Color CMOS 1.0 MP Physical interface: RJ45, Pulse unlock; Power Supply: DC 12V/1.5A ; Working Temperature: -25 to +55 ; Humidity : 10% ~ 90%RH	Linux	190
PH-13	Digital Villa Door Phone		TC-3000DA-X1	- Call Resident - Card Unlocking - Leave Message - High strength Acrylic panel	Installation: Surface Mounting Camera: Color CMOS 1.0Mega Pixel CPU: ARM 9 Camera: Color CMOS 1.0 MP Physical interface: RJ45, Pulse unlock; Power Supply: DC 12V/1.5A ; Working Temperature: -25 to +55 ; Humidity : 10% ~ 90%RH	Linux	190
PH-14	SECURITY GUARD STATION		TC-5000MH-BA01	- Android 6.0 Operation System 10 inch Capacitive Touch Screen 1MP CMOS Camera - Call Resident - Aluminium Alloy Body - Resident Alarm Notice - Doorphone Monitoring - Support 3rd Party Camera(only Hik/Dahua)	OS: Android CPU: Quad-core Cortex™-A53 Display: 10" TFT-LCD Capacitive Touch Screen Covered with 2.5D Glass ,1200x1920 Pixel Memory: 1G RAM 8GB Flash Camera: 1.0 Mega Pixels CMOS Camera Network: Standard 10/100M Ethernet,RJ45 Interface : RS485, RJ45, USB interface,12VDC Working voltage : DC12V/1.5A Working Temperature : T-10 ~+55, Working Humidity : 10%~ 90% RH Dimension : 325.5*209*129mm Installation method: stand Color : Black	Android OS	900
PH-09	Full Digital Intercom Outdoor Station		TC-X6DA-4K	- Call Resident - Call 2/4 Resident for optional - Card Unlocking - Vandal Proof Panel	OS : Linux CPU : ARM9 Camera: Color CMOS 1.0 Mega Pixel Keypad Type:Physical Button Communication:RJ45(TCP/IP) , signal unlock Card Type:IC, ID Card Power Supply: DC 12V, Working Temperature:-25 to +55 Humidity:10%-90% RH Color: Silver Machine Dimension: 105*210*45mm	Linux	260
PH-10	Digital Villa Code Door Phone		TC-X6DA-Z/ps	- Call Resident - Password Unlocking - Leave Message - High strength Aluminum panel	Installation: Surface Mounting Camera: Color CMOS 1.0Mega Pixel CPU: ARM 9 Camera: Color CMOS 1.0 MP Physical interface: RJ45, Pulse unlock; Power Supply: DC 12V/1.5A ; Working Temperature: -25 to +55 ; Humidity : 10% ~ 90%RH	Linux	260
PH-11	Digital Villa Door Phone		TC-X6DA-Z/IC	- Call Resident - Card Unlocking - Leave Message - High strength Aluminum panel	Installation: Surface Mounting Camera: Color CMOS 1.0Mega Pixel CPU: ARM 9 Camera: Color CMOS 1.0 MP Physical interface: RJ45, Pulse unlock; Power Supply: DC 12V/1.5A ; Working Temperature: -25 to +55 ; Humidity : 10% ~ 90%RH	Linux	210

تاریخ: ۱۴۰۱/۰۵/۱۹

لیست قیمت آیفون تصویری هوشمند phonicall

ردیف	نام محصول	تصویر	مدل	امکانات	مشخصات فنی	سیستم عامل	قیمت - دلار
PH-06	8" Full Digital Facial recognition Outdoor station		TC-5000D-XL4	8" Touch screen - High resolution dual camera - Flushing installation - Call Resident - Card Unlocking - Leave Message - Digital Camera - Touch Panel	Monitor: 8" Capacitive Touch Screen OS: Android 7.1.1. Flash: 8G; Memory: 2G Camera: Dual camera with 1080P Resolution Facial Recognition: Real face detection, max support 1:10000+ Physical interface: RJ45, RS485, Pulse unlock;; Communication mode: TCP/IP; Card Type: IC, ID Card Option; Camera: Color CMOS 2.0 Mega Pixel Power Supply: DC 12V/3A ; Machine Dimension: 132*267.6*35.5mm Embedded dimension: Working Environment: Temperature: -25 to +55 ; LT series: -40 to +55 Humidity : 10% ~ 90%RH	Android OS	790
PH-07	Full Digital Intercom Outdoor Station		TC-5000D-F1	- High Strength Acrylic panel - Backlight touch key - Call Resident - Call Management Center - Card Unlocking - Password unlock	Monitor: 3.5" TFT Physical interface: RJ45, RS485, Pulse unlock;; Communication mode: TCP/IP; Card Type: IC, ID Card Option; Camera: Color CMOS 1.0 Mega Pixel Power Supply: DC 12V/3A ; Machine Dimension: 136*357*65MM	Linux	570
PH-08	Full Digital Intercom Outdoor Station		TC-5000D-J	- Call Resident - Call Management Center - Card Unlocking - Password unlock	Monitor: 3.5" TFT Physical interface: RJ45, RS485, Pulse unlock;; Communication mode: TCP/IP; Card Type: IC, ID Card Option; Camera: Color CMOS 1.0 Mega Pixel Power Supply: DC 12V/3A ;	Linux	390
PH-04	Digital 7 inch indoor monitor		TC-5000MH-20H	7" Capacitive Touch IPS Screen - Wifi connect to internet - High capacitive CPU - Android OS - Video doorphone - Easy to Configuration - Support Taichuan Smart home Control	System : Android 6.0 CPU : 64bit 4 core Cortex-A53 Flash: 8G Memory: 1G Screen : 7" IPS screen Resolution : 1240*600 Button: Capacitor touch full screen touch Communication method : RJ45 (TCP/IP) Size : 181*130*14.4 (mm) Installation method: indoor wall mounting Color: white / black	Android OS	240
PH-05	Full Digital Intercom Outdoor Station		TC-5000D-20B/RL/POE/BT/IC	10" Touch screen - High resolution dual camera - Flushing installation - Call Resident - Card Unlocking - Leave Message - Digital Camera - Touch Panel	Monitor: 10" Capacitive Touch Screen OS: Android 7.1.1. Flash: 8G; Memory: 2G Camera: Dual camera with 1080P Resolution Facial Recognition: Real face detection, max support 1:10000+ Physical interface: RJ45, RS485, Pulse unlock;; Communication mode: TCP/IP; Card Type: IC, ID Card Option; Camera: Color CMOS 2.0 Mega Pixel Power Supply: DC 12V/3A; POE 48V Machine Dimension: 173.4*392.3*32.9mm Embedded dimension: 160*390*35mm Working Environment: Temperature: -25 to +55 ;	Android OS	900

تاریخ: ۱۴۰۱/۰۵/۱۹

لیست قیمت آیفون تصویری هوشمند phonicall

ردیف	نام محصول	تصویر	مدل	امکانات	مشخصات فنی	سیستم عامل	قیمت-دلار
PH-01	Digital 10 inch indoor monitor		TCS000MH-18B	10.1" Capacitive Touch IPS Screen - Wifi connect to internet - High capacitive CPU - Android OS - Video doorphone - Easy to Configuration - Support Tuya Smart home Control	System : Android 6.0 CPU : 64bit 4 core Cortex-A53 Flash: 8G Memory: 1G Camera: HD 720P Screen : 10.1"IPS screen Resolution : 1280*800 Button: Capacitor touch full screen touch Communication method : RJ45 (TCP/IP) Size : 258.6*167.2*15.1 (mm) Installation method: indoor wall mounting ExpandedPort:8CHWiredAlarmPort	Android OS	320
PH-02	Full Digital Intercom 10 inch Indoor Monitor		TC-5000MH-20G	10" Capacitive Touch IPS Screen - Wifi connect to internet - High capacitive CPU - Android OS - Video doorphone - Easy to Configuration - Support Taichuan Smart home Control	System : Android 6.0 CPU : 64bit 4 core Cortex-A53 Flash: 8G Memory: 1G Screen : 10"IPS screen Resolution : 1280*800 Button: Capacitor touch full screen touch Communication method : RJ45 (TCP/IP) Size : 248.8*177*14.3mm Installation method: indoor wall mounting Color: white / black (optional) ExpandedPort:8CHWiredAlarmPort	Android OS	290
PH-03	Digital 8 inch indoor monitor		TCS000MH-18F	8" Capacitive Touch IPS Screen - Wifi connect to internet - High capacitive CPU - Android OS - Video doorphone - Easy to Configuration - Support Tuya Smart home Control	System : Android 6.0 CPU : 64bit 4 core Cortex-A53 Flash: 8G Memory: 1G Screen : 8"IPS screen Resolution : 1280*800 Button: Capacitor touch full screen touch Communication method : RJ45 (TCP/IP) Size : 118*198*13 (mm) Installation method: indoor wall mounting ExpandedPort:8CHWiredAlarmPort	Android OS	260